




SPEC SHEET

35 In. 10 Cu. Ft. Low Height - Aisle End Retail Display Merchandiser Refrigerator in Black For Supermarket, Deli, No Frost

Model: KM-AEM2-10CSL

FEATURES

- Low-Height, Aisle-End Design:** At 35" wide and 55.6" tall, this unit fits perfectly at aisle ends or checkout zones without blocking visibility.
- 10 Cu. Ft. Capacity with Adjustable Shelves:** Holds up to 348 cans or 120 bottles with six adjustable, 50-lb. shelves for flexible merchandising.
- Bright LED Lighting:** Dual 6500K LED strips illuminate products clearly for strong visibility day or night.
- Sliding Low-E Glass Doors:** Dual-pane tempered glass doors reduce energy loss, resist condensation, and feature a self-closing design.
- Even Cooling System:** Fan-assisted airflow keeps temperatures consistent from 32°F to 50°F for reliable product freshness.
- Digital Controls:** Easy-to-use digital thermostat and display for quick temperature adjustments and real-time monitoring.
- Automatic Defrost:** Built-in auto-defrost maintains efficient operation and reduces manual maintenance.
- Durable Commercial Build:** Galvanized interior, precoated exterior, and adjustable stainless-steel/polymer feet for sturdy performance.
- Enhanced Visibility & Organization:** Adjustable shelves and a bright white interior for a clean, professional display.
- ETL Certified with 1-Year Warranty:** Meets ETL safety standards and includes a 1-year parts-and-labor warranty.



CLOSE UP IMAGES



Technical Specs

Dimensions & Weight

| | |
|----------------------------|-----------|
| Length | 35.5 in. |
| Width | 19.5 in. |
| Height | 55.63 in. |
| Interior Depth | 14.72 in. |
| Interior Width | 31.61 in. |
| Interior Height | 41.83 in. |
| Weight | 188 lbs |
| Shelf Depth | 12.48 in. |
| Shelf Width | 15.16 in. |
| Minimum Back Air Clearance | 4 in. |
| Minimum Side Air Clearance | 4 in. |

Electric & Certifications

| | |
|-----------------------------|--------------------------------------|
| Certifications | ETL Listed for Safety and Sanitation |
| Amps | 1.6 |
| Hertz | 60 |
| Phase | 1 |
| Voltage | 110 |
| Wattage | 160 |
| Plug Type | NEMA 5-15P |
| Power Cord Length | 90.5 in |
| Energy Consumption kWh/year | 532.9 kWh/year |
| Noise | 60 |



Capacity

| | |
|-----------------------------------|---------------------|
| Gross Cubic Feet | 10.67 |
| Net Cubic Feet | 8.37 |
| Individual Shelf Capacity | 50.6 lbs |
| Can Capacity Refrigerator Cabinet | 348 12 fl. oz. Cans |
| Temperature Range | 32-50 F |
| Ambient Temperature Range | 32-100.4 F |

Features & Materials

| | |
|----------------------------|-------------------------------------|
| Installation Type | Freestanding |
| Defrost Type | Automatic |
| Refrigerant Type | R-600a |
| Cooling Unit Type | Automatic |
| Compressor Location | Bottom |
| Door Style | Sliding |
| Number Of Doors | 2 |
| Number Of Shelves | 6 |
| Interior Lights | LED |
| Interior Lights Color | White |
| Interior Lights Brightness | 6500K |
| Interior Lights Location | Two Vertical Strips Along the Front |
| Control Type | Digital |
| Thermostat Type | Digital |
| Color Finish | Black |
| Color Door Handles | Black |
| Horsepower | 0.11 |
| Door Material | Glass and Polymer |
| Shelf Material Type | Coated Metal |
| Self Closing Door | Yes |
| Indoor Outdoot | Indoor |
| Glass Type | Dual Pane – Tempered and Low-E |
| Shelves Adjustable | Yes |
| Interior Color | White |
| Interior Material | Galvanized Sheet Metal |
| Exterior Material | Precoated Metal |
| Legs Adjustable | Yes, 7 in. |
| Safety Lock | Yes |

Plan View



CERTIFICATIONS

