



SPEC SHEET

17 In. 2.5 Cu. Ft. Glass-Door Beverage Refrigerator with a 70-Can Capacity and Stainless-Steel Trim


Model: KM-BR25SS

FEATURES

- **Compact Size with Impressive 70-Can Capacity:** Designed to maximize storage in a small footprint, this 2.5 cu. ft. unit holds up to 70 standard cans, making it ideal for countertops, offices, bars, or retail environments where space is limited but demand is high.
- **Double-Pane Tempered Glass:** The durable dual-pane glass door provides a clear view of contents while helping maintain consistent internal temperatures and improving overall energy efficiency.
- **Precise Digital Temperature Control (32°F–60°F):** Easily adjust and monitor cooling with a user-friendly digital control panel, allowing you to keep beverages perfectly chilled for a variety of drink types.
- **Consistent Cooling:** A fan-assisted cooling system circulates air evenly throughout the cabinet, eliminating hot spots and ensuring every shelf maintains consistent temperatures.
- **Bright Top-Mounted LED Lighting:** Energy-efficient LED lighting illuminates the interior from above, enhancing visibility and creating an attractive, professional display that draws attention.
- **Quiet Operation at 45 dB:** Engineered for low-noise performance, this unit operates quietly enough for offices, waiting rooms, and residential settings without disruptive sound.
- **Automatic Defrost System for Hassle-Free Maintenance:** Reduces ice buildup and minimizes maintenance, helping the unit operate efficiently over time without manual defrosting.
- **Flexible Installation with Reversible Door and Adjustable Feet:** The reversible swing door and adjustable leveling feet allow easy placement in a variety of spaces while ensuring stability on uneven surfaces.



CLOSE UP IMAGES



Technical Specs

Dimensions & Weight

Length	17.32 in.
Width	19 in.
Height	24.8 in.
Weight	55 lbs.
Interior Depth	15.9 in.
Interior Width	14.7 in.
Interior Height	21.3 in.
Shelf Depth	13.8 in.
Shelf Width	14.5 in.
Depth Less Door	17.5 in.
Depth With Door Open 90 Degrees	35.4 in.
Height to Top of Door Hinge In.	25.1 in.
Minimum Back Air Clearance In.	4 in.
Minimum Side Air Clearance In.	4 in.

Electric & Certifications

Voltage	110
Wattage	95
Amps	1.2
Hertz	60
Phase	1
Power Cord Included	Yes
Plug Type	NEMA 5-15P
Power Cord Length	94.49 in.
Energy Consumption KWH Year	292 kWh/Year
Certifications	ETL Listed for Safety and Sanitation




Capacity

Gross Cubic Feet	3.1
Net Cubic Feet	2.5
Number of Shelves	3
Individual Shelf Capacity	20 lbs.

Features & Materials

Temperature Range	32-60°F
Ambient Temperature Range	90°F
Defrost Type	Automatic
Cooling Unit Type	Automatic
Refrigerant Type	R600a
Installation Type	Freestanding
Control Type	Digital
Color	Black
Interior Color	Black
Horsepower	0.1
Number of Doors	1
Door Style	Swing
Interior Lights	LED
Interior Lights Color	White
Interior Lights Location	Top
Door Handles Color	Stainless-Steel
Door Material	Glass
Door Handle	Integrated
Can Capacity	70
Reversible Door	Yes
Self Closing Door	No
Noise	45 dB
Indoor/Outdoor	Indoor
Glass Type	Tempered Dual Pane
Shelves Adjustable	No
Shelf Material Type	Glass and Coated Wire
Interior Material	HIPS
Exterior Material	Painted Steel, Glass and Polymer
Legs Adjustable	Yes, .8 in.
Legs Material	ABS
Safety Lock	No
Compressor Location	Bottom

Plan View



718-576-6342
info@koolmore.com

CERTIFICATIONS

