



# SPEC SHEET

## KoolMore Commercial 3 Pan Countertop Blast Chiller 15 lbs Rapid Chill / 8.8 lbs Rapid Freeze


Model: **KM-CBLC-3**

### FEATURES

- **Rapid Chilling:** Cools 15 lbs. from 194°F to 37°F in 86 minutes, avoiding spoilage range. Stores food at 37°F for up to 5 days.
- **Quick-Freezing:** Freezes 8.8 lbs. from 194°F to 0°F in 209 minutes. Prevents ice crystals; stores cooked foods for 2 months, raw for 12 months.
- **Auto Preservation:** Automatically transitions to refrigeration mode after chilling/freezing (short-term storage).
- **Food Probe System:** Precise temperature monitoring with a heated probe for easy removal.
- **3/4 HP Compressor:** Ensures fast, uniform cooling for busy kitchens.
- **Stainless Steel Build:** 304-grade interior resists corrosion; 201-grade exterior is durable and elegant.
- **Digital Controls:** Manage temperatures as low as -22°F with precision and ease.
- **3-Pan Capacity:** Holds 33 lbs. across three 2/3-GN pans, perfect for high-volume use.
- **Compact and Quiet:** Countertop design with 70 dB operation for space-saving and quieter kitchens.
- **Easy Maintenance:** Automatic defrost and removable dust gauge for hassle-free upkeep.
- **Certified and Warranty:** ETL, HACCP compliant; includes a 1-year parts and labor warranty.



### CLOSE UP IMAGES



# TECHNICAL SPECS

## Dimensions

Length	24.8
Width	24.5
Height	18.75
Weight Lbs	85
Interior Depth	14.96
Interior Width	14.96
Interior Height	11.7
Depth Excluding Handles	24.8
Depth Including Handles	24.8
Depth Less Door	24.8
Depth With Door Open 90 Degrees	39.59
Power Cord Length	59
Minimum Back Air Clearance (In)	4 In.
Minimum Side Air Clearance (In)	4 In.

## Capacity

Gross Cubic Feet	1.32
Pan Capacity	3 2/3 Size
Maximum Shelf Capacity	11 lbs.




## Features & Materials

Defrost Type	Automatic
Refrigerant Type	R-290
Cooling Unit Type	Automatic
Compressor Location	Right Side
Number Of Doors	1
Door Style	Swing
Number Of Shelves	3
Temperature Range	-22 F
Ambient Temperature Range	64-89.6 F
Control Type	Digital
Color Finish	Brushed Stainless-steel
Color Door Handles	Brushed Stainless-steel
Hinge Location	Left Side
Reversible Door(s)	No
Self-Closing Door	No
Noise	70 db
Interior Material	Stainless-Steel 304
Exterior Material	Stainless-Steel 201
Door Material	Stainless-Steel
Gauge Of Stainless Steel	26
Legs Material	Rubber
Legs Adjustable	Yes

## Electric & Certification

Amps	2.8
Hertz	60
Horsepower	0.75
Phase	1
Plug Type	NEMA 5-15P
Voltage	120
Wattage	300
Certifications	ETL Listed for Safety and Sanitation and HACCP Compliant

# Plan View



## CERTIFICATIONS



706 Eastern Parkway STE 1G, Brooklyn NY 11213  
718-576-6342  
info@koolmore.com