

SPEC SHEET

KoolMore 33 in. Commercial Half Size Non-Insulated 5-Pan Holding Cabinet with Wire Racks and Glass Door in Silver

Model: KM-CHP12-WNGL

FEATURES

Commercial Holding Cabinet

Designed for Holding and proofing

· Aluminum Exterior

Voltage: 120V

Watts: 1500W

· UL and NSF Certifications







CLOSE UP IMAGES









TECHNICAL SPECS

Dimensions

Length	33.1
Width	23.1
Height	30.9
Interior depth	27.2
Interior width	18.3
Interior height	17.89
Power cord length	102.36
Weightlbs	80.2

Capacity

Gross cubic feet	8
Net cubic feet	5.9

Features & materials

Control type	Mechanical
Temperature range	75-185 F
Number of doors	1
Hinge location	Top and Bottom
Rack positions	5
Pan capacity	5
Exhaust vent location	Bottom of the Rear of the Unit
Interior cabinet insulation	NA
Exterior material	Aluminum
Interior material	Aluminum
Glass type	Polycarbonate
Color finish	Silver
Interior lights	No
Casters	4
Feature one	"4 Polyurethane Swivel Casters, 2 with Brakes"
Feature two	Half size non insulated design holds up to 12 full size sheet pans; 1 1/2" of clearance between slides, heater & proofer, with wire

Electric & certification

Electrical installation type	Plug-in
Amps	14
Hertz	60
Phase	1
Voltage	120
Wattage	1500W
Plug type	Nema 5-15P
Certifications	UL Listed for Safety and NSF for Sanitation

racks, clear door

Plan View









