



SPEC SHEET

KoolMore 36 in. 2 Burner Commercial Liquid Propane Range with 24 in. Griddle in Stainless-Steel

SKU: KM-CRG36-LP

FEATURES

- Commercial Liquid Propane Range
- 24-Inch Griddle
- High-Performance Open-Top Burners
- Easy-to-Clean Unit
- Stainless-Steel Craftsmanship



CLOSE UP IMAGES



TECHNICAL SPECS

Dimensions

Length	36
Width	32.5
Height	60
Interior Depth	25.8
Interior Width	26.8
Interior Height	13.7
Backsplash Size	19.13
Shelf Depth	10.13
Shelf Width	36
Depth With Door Open 90 Degrees	45.3

Capacity

Weight Lbs	449
Gross Cubic Feet	5.61


Features & Materials

Convection	No
Temperature Range	250-550 F
Number Of Oven Racks	2
Rack Positions	4
Glide Rollout Racks	No
Number Of Burners	2
Burner Grate Material	Cast Iron
Types Of Burners	Double Row Hole
Exterior Material	Aluminized Steel
Interior Material	Stainless-Steel
Gauge Of Stainless Steel	18
Interior Liner Material	Stainless-steel
Legs Adjustable	Yes
Feet Material	Stainless-Steel
Drip Pans	2
Cooktop Features	NA
Color Finish	Stainless-Steel
Color Of Cooktop	Stainless-Steel and Black
Cooktop Surface Type	Gas
Control Location	Front-Mounted
Control Type	Manual
Cleaning Type	Manual
Broiler Location	No Broiler
Dishwasher Safe Grates	Yes
Hot Surface Indicator Lights	No
Light Type	NA
Keep Warm Setting	No
Delay Bake	No
Burner No1 BTU	30000
Burner No2 BTU	30000
Burner No3 BTU	NA
Burner No4 BTU	NA
Burner No5 BTU	NA
Burner No6 BTU	NA
Oven BTU	30000
Left Oven BTU	
Product Notes	Cooking area on the griddle is 504 sq. in.,Plate thickness is .75 in, has 2 burners each 20000 BTU

Gas Info & Certifications

Gas Inlet Size	0.75
Fuel Type	LP
Ignition Type	Pilot
Convertible	Yes
Certifications	ETL Listed for Safety and Sanitation

Plan View



CERTIFICATIONS



706 Eastern Parkway STE 1G, Brooklyn NY 11213
718-576-6342
info@koolmore.com