



SPEC SHEET

KoolMore 21 Cu. ft. Commercial Reach-in Freezer in White Manual Defrost

Model: KM-FMD20WH

FEATURES

- LED lighting for better visibility of your items
- 2 casters help with mobility, making the cleaning easier
- 6-shelves boasting your storage space
- ETL is listed for Safety and Sanitation
- Solid door provides a clean and uniform appearance
- Digital temperature controls to ensure precise temperature regulation



CLOSE UP IMAGES



TECHNICAL SPECS

Dimensions

Length	30.6
Width	27.4
Height	74.4
Weightlbs	191.8
Interior Depth	21.7
Interior Width	25.8
Interior Height	65.4
Shelf Width	25.7
Shelf Depth	20.75
Depth Including Handles	29.6
Depth Excluding Handles	27.4
Depth Less Door	25.2
Depth With Door Open 90 Degrees	56.5
Height To Top Of Door Hinge In	74.5
Power Cord Length	70.8
Minimum Back Air Clearance In	4 in.
Minimum Side Air Clearance In	4 in.

Capacity

Gross Cubic Feet	20.5
Net Cubic Feet	19
Individual Shelf Capacity	88 lbs.


Features & Materials

Door Style	Swing
Number Of Doors	1
Number Of Shelves	6
Defrost Type	Manual
Refrigerant Type	R-290
Temperature Control Type	External Digital
Temperature Range	-13-0 F
Ambient Temperature Range	90 F
Casters	2
Interior Material	PVC
Exterior Material	Powder Coated Steel
Shelf Material Type	Coated Steel Wire
Color Door Handles	Stainless Steel
Color Finish	White
Interior Color	White
Compressor Location	Bottom Mounted
Compressor Brand	DONPER
Evaporator Brand	Guanrui
Digital Temperature Control	Yes
Door Material	solid door
Hinge Location	Right Side
Cooling Unit Type	Static
Safety Lock	Yes

Electric & Certification

Hertz	60
Phase	1
Wattage	282
Voltage	115
Amps	4.4
Plug Type	NEMA 5-15P
Certifications	ETL Listed For Safety and Sanitation

Plan View



CERTIFICATIONS

Two ETL certification logos are displayed. The first is labeled 'C LISTED US' and the second is labeled 'VERIFICATION LISTED'. Both logos are associated with the Intertek company name.



718-576-6342
 info@koolmore.com