

# **SPEC SHEET**

# **KoolMore 26 in. Gelato Dipping Cabinet Display Freezer with Sliding Glass Door, 6 Cu. Ft.**

Model: KM-GDC-26SD

### **FEATURES**

- · Effortless Serving: Designed for quick, easy gelato scooping.
- Perfect Temperature: Maintains ideal gelato serving conditions.
- Elegant Display: Sleek, modern design enhances any shop's appeal.
- Rust-Resistant: Durable steel walls ensure longevity and freshness.
- Top-Down Access: Sliding glass doors for simple viewing and serving.
- Spacious Capacity: 6 cu. ft. to store and display multiple flavors.
- Customer-Friendly: Clear glass window boosts visibility and sales.
- All-in-One: Combines storage, display, and serving in one unit.
- Stylish & Functional: Elevates décor while delivering practicality.
- Ideal for Small Businesses: Perfect for gelato shops, cafes, and restaurants.
- Manual Defrost: Ensures precise control over gelato quality.
- ETL & NSF Certified: Meets strict safety and sanitation standards.







#### **CLOSE UP IMAGES**











## TECHNICAL SPECS

### **Dimensions**

Length	26.18
Width	28.14
Height	34.45
Interior Depth	21.2
Interior Width	20.2
Interior Height	25.4
Dxwxh Of Sneeze Guard	
Power Cord Length	70.8
Weightlbs	106
Capacity	

Gross Cubic Feet	5.47
Net Cubic Feet	4.2
Pan Capacity	4 5L Pans


### **Features & Materials**


Door Style	Sliding
Number Of Doors	2
Defrost Type	Manual
Refrigerant Type	R-290
Control Type	Digital
Ambient Temperature Range	0-100 F
Temperature Range	-15-32 F
Casters	4
Glass Type	LOW-E and Tempered
Color Finish	White
Interior Color	White
Exterior Material	Durable Powder Coated Steel
Interior Material	Precoated Steel
Interior Lights	LED
Interior Lights Location	On the two sides of the inside cabinet


### **Electric & Certifications**

Amps	1.98
Hertz	60
Phase	1
Plug Type	NEMA 5-15P
Voltage	110
Wattage	210
Horsepower	0.25
Certifications	ETL Listed for Safety and Sanitation

### **Plan View**







**CERTIFICATIONS** 





