



SPEC SHEET

30 In. Commercial Flat Top Ice Cream Display Freezer, 7 Cu. Ft. in White

Model: KM-ICD-70C

FEATURES

- **Large 6.9 Cu Ft Freestanding Display for Frozen Products:** Designed for freestanding retail placement, offering expanded capacity for ice cream, frozen novelties, and packaged goods in convenience stores and commercial settings.
- **Sliding Low-E Glass Lids for Visibility & Efficiency:** Features dual sliding low-E glass tops that provide clear product visibility while helping retain cold temperatures and improving energy efficiency.
- **Consistent Freezing Performance (-14.8°F to 50°F):** Maintains reliable low temperatures to keep frozen products properly stored and ready to serve.
- **Energy-Efficient Static Cooling System:** Provides dependable cooling performance with reduced energy consumption, suitable for continuous commercial use.
- **Durable Commercial Construction:** Built with a PCM exterior and aluminum interior, ensuring long-lasting durability and easy maintenance.
- **Integrated Storage Basket for Organization:** Includes 1 removable basket to help organize products and improve accessibility.
- **Smooth Mobility with Preinstalled Casters:** Equipped with 4 casters for easy movement, repositioning, and cleaning.
- **Indoor Commercial Use with Wide Ambient Range:** Designed to perform in environments up to 109°F ambient temperature, ensuring reliable operation.



CLOSE UP IMAGES



Technical Specs

Dimensions & Weight

Length	30.3 in.
Width	22 in.
Height	33.5 in.
Weight	62.83 lbs.
Interior Depth	17.52 in.
Interior Width	26.1 in.
Interior Height	27.95 in.

Electric & Certifications

Voltage	115
Wattage	120
Hertz	60
Amps	3.6
Phase	1
Plug Type	NEMA 5-15P
Power Cord Included	Yes
Power Cord Length	66.93 in.
Energy Consumption	438 kWh/year
Certifications	CSA Certified for Safety and NSF for Sanitation




Capacity

Gross Cubic Feet	6.9
Net Cubic Feet	5.9
Number of Baskets	1
Basket Capacity	13.2 lbs.
Basket Material Type	Plastic

Features & Materials

Temperature Range	-14.8 -50°F
Ambient Temperature Range	50 -109°F
Defrost Type	Manual
Cooling Unit Type	Static
Refrigerant Type	R600a
Horsepower	0.1
Control Type	Digital
Control Location	External
Number of Doors	2
Door Style	Sliding
Glass Type	Low-E Tempered Glass
Color Finish	White
Interior Color	White
Handle Color	Gray
Exterior Material	PCM
Interior Material	PCM
Interior Lights	No
Caster	4
Safety Lock	Yes
Compressor Location	Right Side of Cabinet

Plan View



718-576-6342
info@koolmore.com