



SPEC SHEET

KoolMore 33 In. Flat Top Ice Cream Display Freezer - 7 cu ft

Model: KM-ICD-7C

FEATURES

- Spacious Capacity: 7 cu. ft. with a wire basket (44 lbs capacity) for organized storage.
- Sliding Glass Doors for Visibility: LOW-E tempered glass doors for clear view and reduced heat transfer.
- Durable and Hygienic Construction: Painted steel exterior, embossed aluminum interior for durability and easy cleaning.
- Wide Temperature Range: Maintains -9.4°F to 0°F, reliable up to 90°F ambient.
- Energy Efficient Operation: Uses 375 KWH/year with a 0.93 HP compressor for low costs.
- Easy Mobility and Stability: 4 casters (2 with brakes) for flexible positioning.
- Built-In Drain Plug for Maintenance: 1-inch central drain plug for easy cleaning.
- Plug-and-Play Installation: 70.86-inch cord with NEMA 5-15P plug for quick setup.
- ETL Certified & Warranty: Meets ETL standards, 1-year parts and labor warranty.



CLOSE UP IMAGES



TECHNICAL SPECS

Dimensions

Length	33.94
Width	21.5
Height	34.25
Weightlbs	76.28
Interior Depth	16.14
Interior Width	28.7
Interior Height	25.55
Power Cord Length	70.86

Capacity

Gross Cubic Feet	7.06
Net Cubic Feet	6.36


Features & Materials

Minimum Side Air Clearance In	12 in.
Minimum Back Air Clearance In	4 in.
Defrost Type	Manual
Refrigerant Type	R-290
Temperature Range	-9.4-0 F
Ambient Temperature Range	90 F
Interior Material	Embossed Aluminum
Exterior Material	Painted Steel
Casters	4
Door Style	Sliding
Number Of Doors	2
Color Finish	White
Individual Bin Capacity	44 lbs.
Interior Lights	No

Electric & Certification

Voltage	110
Amps	2.5
Hertz	60
Phase	1
Wattage	115
Plug Type	NEMA 5-15P
Certifications	ETL Listed for Safety and Sanitation

Plan View



CERTIFICATIONS



706 Eastern Parkway STE 1G, Brooklyn NY 11213
718-576-6342
info@koolmore.com