

# SPEC SHEET

# KoolMore 47 in. Commercial 2 Door Merchandiser Refrigerator, With 2 Full Glass Doors, 30 Cu. Ft.

Model: KM-MDR-2FGD

#### **FEATURES**

- 30 Cubic Feet Capacity: Ample storage with eight adjustable PVC shelves supporting up to 99 lbs.
- Precise Cooling: Digital controls maintain 36°F-50°F with an LED display for easy adjustments.
- Glass Doors with Locks: Double-tempered glass swing doors with locks ensure visibility, security, and cold retention, enhanced by bright LED lighting.
- Energy Efficient: Uses only 967 kWh annually for cost-effective 24/7 operation.
- Low Maintenance: Automatic defrost prevents ice buildup.
- Quiet Operation: Runs at 55 dB, ideal for quiet spaces.
- Sleek & Durable: Black-painted iron exterior and white interior for durability and style.
- Compact Design: 77.5" x 46.85" x 23.03" with 1.97" clearance for ventilation.
- Easy to Move: Four casters (two with brakes) for mobility and stability.
- Certified & Reliable: ETL certified with a 1-year parts and labor warranty.







#### **CLOSE UP IMAGES**











### TECHNICAL SPECS

### **Dimensions**

Length	46.85
Height	77.5
Width	22.44
Interior Depth	18.9
Interior Width	44.2
Interior Height	68.11
Shelf Width	21.41
Shelf Depth	14.76
Depth Excluding Handles	23.03
Depth Including Handles	23.03
Depth Less Door	20.47
Depth With Door Open 90 Degrees	44.21
Minimum Back Air Clearance (in)	1.97
Minimum Side Air Clearance (in)	1.97
Power Cord Length	82.28
Capacity	

Gross Cubic Feet	30
Net Cubic Feet	27
Individual Shelf Capacity	99 lbs.

#### **Features & Materials**

Door Style	Swing
Number of Doors	2
Number of Shelves	8
Defrost Type	Automatic
Refrigerant Type	R-290
Temperature Range	36-50 F
Ambient Temperature Range	61-90 F
Casters	4
Interior Material	Painted Iron
Exterior Material	Painted Iron
Shelf Material Type	PVC
Noise	55 db

### **Electric & Certification**

Amps	4.5
Phase	1
Voltage	115
Wattage	420
Hertz	60
Plug Type	NEMA 5-15P
Certifications	ETL Listed for Safety

## **Plan View**









