

SPEC SHEET

KoolMore 71 in. Commercial 3 Door Merchandiser Refrigerator, With 3 Full Glass Doors, 46 Cu. Ft.

Model: KM-MDR-3FGD

FEATURES

- 46 Cubic Feet Capacity: Ample storage with eight adjustable PVC shelves supporting up to 99 lbs.
- Precise Cooling: Digital controls maintain 36°F-50°F with an LED display for easy adjustments.
- Glass Doors with Locks: Double-tempered glass swing doors with locks ensure visibility, security, and cold retention, enhanced by bright LED lighting.
- Energy Efficient: Uses only 1379 kWh annually for cost-effective 24/7 operation.
- Low Maintenance: Automatic defrost prevents ice buildup.
- Quiet Operation: Runs at 55 dB, ideal for quiet spaces.
- Sleek & Durable: Black-painted iron exterior and white interior for durability and style.
- Compact Design: 78" x 71" x 22.5" with 2" clearance for ventilation.
- Easy to Move: Four casters (two with brakes) for mobility and stability.
- Certified & Reliable: ETL certified with a 1-year parts and labor warranty.







CLOSE UP IMAGES









TECHNICAL SPECS

Dimensions

Hertz

Plug Type

Certifications


Length	71
Height	78.34
Width	22.63
Interior Depth	18.9
Interior Width	67.8
Interior Height	68.11
Shelf Width	L:21.41 R:45.03
Shelf Depth	14.76
Depth Excluding Handles	23.03
Depth Including Handles	23.03
Depth Less Door	20.47
Depth With Door Open 90 Degrees	44.21
Minimum Back Air Clearance (in)	1.97 in.
Minimum Side Air Clearance (in)	1.97 in.
Power Cord Length	94.5
Capacity	
Gross Cubic Feet	46.1
Net Cubic Feet	41.6
Individual Shelf Capacity	99 lbs.
Features & Materials	
Door Style	Swing
Number of Doors	3
Number of Shelves	8
Defrost Type	Automatic
Refrigerant Type	R-290
Temperature Range	36-50 F
Ambient Temperature Range	61-90 F
Casters	6
Interior Material	Painted Iron
Exterior Material	Painted Iron
Shelf Material Type	PVC
Noise	55 db
Electric & Certification	
Amps	8.9
Phase	1
Voltage	115
Wattage	750
L La viter	<u> </u>

60

NEMA 5-15P

ETL Listed for Safety









706 Eastern Parkway STE 1G, Brooklyn NY 11213 718-576-6342 info@koolmore.com