



# SPEC SHEET

## 30 In. Solid Door Commercial Reach-In Freezer with Top-Mounted Compressor, 25 Cu. Ft. in Stainless-Steel


**Model:** KM-RIF-1D-SS-TM

### FEATURES

- **High-Capacity 25 Cu. Ft. Commercial Freezer:** Large interior storage capacity designed for high-volume kitchens, ideal for storing bulk frozen foods and ingredients.
- **Top-Mounted Compressor for Cleaner Operation:** Keeps the refrigeration system away from floor-level dust and grease, improving air flow, reducing maintenance, and extending equipment life.
- **Wide Temperature Range for Reliable Freezing:** Maintains temperatures from -8°F to 0°F, ensuring consistent and safe storage of frozen products.
- **Durable Stainless-Steel Interior and Exterior:** Built with stainless steel inside and out for long-lasting durability, corrosion resistance, and easy cleaning.
- **Spacious Interior with Adjustable Shelving:** Includes 3 adjustable heavy-duty shelves for flexible organization and high-capacity storage.
- **Digital Temperature Control with LED Display:** Provides precise, easy-to-monitor temperature management for consistent performance.
- **Interior LED Lighting for Clear Visibility:** Bright LED lighting ensures excellent visibility of stored items.
- **Mobility with Casters for Easy Positioning:** Equipped with casters for smooth movement, cleaning access, and flexible placement.



### CLOSE UP IMAGES



# Technical Specs

## Dimensions & Weight

|                                 |           |
|---------------------------------|-----------|
| Length                          | 29 in.    |
| Width                           | 32.2 in.  |
| Height                          | 81.7 in.  |
| Weight                          | 264 lbs.  |
| Interior Depth                  | 24.4 in.  |
| Interior Width                  | 27.1 in.  |
| Interior Height                 | 56.7 in.  |
| Shelf Depth                     | 25.2 in.  |
| Shelf Width                     | 20.87 in. |
| Height to Top of Door Hinge     | 67.7 in.  |
| Depth With Door Open 90 Degrees | 59.1 in.  |
| Minimum Back Air Clearance      | 2 in.     |
| Minimum Side Air Clearance      | 2 in.     |

## Electric & Certifications

|                              |                                      |
|------------------------------|--------------------------------------|
| Voltage                      | 115                                  |
| Wattage                      | 360                                  |
| Hertz                        | 60                                   |
| Amps                         | 3.6                                  |
| Phase                        | 1                                    |
| Electrical Installation Type | Plug-in                              |
| Plug Type                    | NEMA 5-15P                           |
| Power Cord Included          | Yes                                  |
| Power Cord Length            | 98 in.                               |
| Energy Consumption           | 1391 kWh/Year                        |
| Certifications               | ETL Listed for Safety and Sanitation |


## Capacity

|                           |         |
|---------------------------|---------|
| Gross Cubic Feet          | 25      |
| Net Cubic Feet            | 21.7    |
| Number of Shelves         | 3       |
| Individual Shelf Capacity | 88 lbs. |

## Features & Materials

|                            |                           |
|----------------------------|---------------------------|
| Temperature Range          | -8 to 0°F                 |
| Ambient Temperature Range  | 100°F                     |
| Defrost Type               | Automatic                 |
| Cooling Unit Type          | Automatic                 |
| Refrigerant Type           | R290                      |
| Horsepower                 | 0.4                       |
| Number of Doors            | 1                         |
| Door Material              | Stainless-Steel 430       |
| Door Style                 | Swing                     |
| Reversible Doors           | Yes                       |
| Self Closing Door          | Yes                       |
| Stay Open Feature          | Yes                       |
| Shelf Material Type        | Plastic Coated Steel Wire |
| Shelves Adjustable         | Yes                       |
| Temperature Control Type   | Digital                   |
| Control Location           | Exterior                  |
| Exterior Material          | Stainless-Steel 201       |
| Interior Material          | Stainless-Steel 430       |
| Gauge of Stainless-Steel   | Exterior: 24 Interior: 26 |
| Color Finish               | Stainless-Steel           |
| Interior Color             | Stainless-Steel           |
| Door Handle Color          | Stainless-Steel           |
| Handle Type                | Recessed                  |
| Interior Lights            | LED                       |
| Interior Lights Brightness | 220 lm                    |
| Interior Lights Color      | White                     |
| Interior Lights Location   | Right Side                |
| Commercial Residential     | Commercial                |
| Indoor/Outdoor             | Indoor                    |
| Door Ajar Alarm            | No                        |
| Noise                      | 55 dB                     |
| Safety Lock                | Yes                       |
| Castors                    | 4                         |
| Compressor Location        | Top                       |

# Plan View



718-576-6342  
info@koolmore.com

## CERTIFICATIONS

