




SPEC SHEET

KoolMore 12 Cu. ft. Commercial Reach in Refrigerator in White - Manual Defrost

Model: KM-RMD12WH

FEATURES

- External digital control and display for temperature control to monitor and control the temperature easily
- Clean White Exterior Finish
- Temperature range 32-50
- 3 adjustable shelves
- Spacious 12 cu. ft.
- 2 casters for convenient movement



CLOSE UP IMAGES



TECHNICAL SPECS

Dimensions

Length	23.6
Width	23.03
Height	72.8
Interior Depth	18.6
Interior Width	20
Interior Height	63.8
Shelf Width	19.88
Shelf Depth	16.22

Capacity

Cubic Feet	13
Individual Shelf Capacity	88 lbs.


Features & Materials

Ambient Temperature Range	90 F
Defrost Type	Manual
Depth Including Handles	25.28
Depth Excluding Handles	23
Depth Less Door	20.9
Depth With Door Open 90 Degrees	45.2
Door Style	Swing
Number Of Doors	1
Number Of Shelves	4
Plug Type	NEMA 5-15P
Refrigerant Type	R-600a
Shelf Material Type	Coated Steel Wire
Temperature Control Type	External Digital
Temperature Range	28-50 F
Casters	2
Interior Material	PVC
Exterior Material	Powder Coated Steel

Electric & Certifications

Voltage	115
Phase	1
Hertz	60
Wattage	148
Horsepower	0.2
Amps	3.6
Power Cord Length	70.8
Certifications	ETL Listed For Safety and Sanitation

Plan View



CERTIFICATIONS

Two ETL Intertek certification logos are displayed. The left logo is labeled 'C' and 'LISTED' and the right logo is labeled 'US' and 'LISTED'. Both logos feature the ETL Intertek logo and the text 'Intertek' below it.



718-576-6342
info@koolmore.com