



# SPEC SHEET

## KoolMore 53 in. Commercial Merchandiser Refrigerator with Two Swinging Glass Doors, 45 cu. ft. and LED Lighting in Black

SKU: MDR-2GD-45C

### FEATURES

- **Spacious Capacity:** This commercial merchandiser refrigerator boasts a generous 45 cu. ft. of storage space, making it perfect for displaying a wide range of products, including beverages, dairy, and other perishables.
- **Adjustable Shelving:** With eight adjustable heavy-duty epoxy-coated shelves, this refrigerator provides flexibility in organizing and displaying products. Each shelf can hold up to 88 lbs., allowing for diverse configurations to accommodate different types of merchandise.
- **Bright LED Lighting:** Equipped with energy-efficient LED lighting, this refrigerator ensures that all products are well-lit, enhancing visibility and making it easier for customers to find what they are looking for.
- **Efficient Cooling System:** The unit features a powerful compressor and an automatic defrost system, which work together to maintain a consistent temperature range of 33-40°F.
- **Mobility and Maintenance:** The refrigerator is equipped with sturdy casters, making it easy to move around as needed. Additionally, a removable panel provides easy access to the condenser, simplifying routine maintenance and ensuring the unit operates efficiently.



### CLOSE UP IMAGES



# TECHNICAL SPECS

## Dimensions

Depth	53.1
Width	31.9
Height	79.4
Interior Depth	50
Interior Width	28.3
Interior Height	61.9
Shelf Width	24
Shelf Depth	25.2
Depth Including Handles	34.68
Depth Excluding Handles	33.3
Depth Less Door	29.9
Depth With Door Open 90 Degrees	56.9
Power Cord Length	98.5

## Capacity

Weight	282
Gross Cubic Feet	45.5
Net Capacity Cu. Ft.	39.9
Individual Shelf Capacity	88 lbs.




## Features & Material

Door Style	Swing
Number Of Doors	2
Number Of Shelves	8
Defrost Type	Automatic
Refrigerant Type	R-290
Temperature Control Type	External Digital
Ambient Temperature Range	90 F
Temperature Range	33-40 F
Casters	4
Light Type	LED
Shelf Material Type	Epoxy Coated
Interior Material	Coated Aluminum
Exterior Material	Painted Steel

## Electric Data & Certifications

Amps	6
Phase	1
Plug Type	NEMA 5-15P
Voltage	115
Hertz	60
Wattage	504
Horsepower	0.5
Certifications	ETL Listed for Safety and Sanitation

# Plan View



**CERTIFICATIONS**

Two ETL certification logos are displayed. The first is labeled 'C-Listed US' and the second is labeled 'Certification Limited'. Both logos are associated with Intertek.



706 Eastern Parkway STE 1G, Brooklyn NY 11213  
718-576-6342  
info@koolmore.com