

# **SPEC SHEET**

# **KoolMore 40 in. Three Pan Refrigerated Countertop Condiment Prep Station**

Model: SCDC-3P-SSL

#### **FEATURES**

- · Digital temperature controls and display.
- · Countertop design.
- Three 1/3 food Pans included.
- · Four-sided double tempered glass.
- Stainless Steel Body.
- Side Mounted compressor.
- · Direct cooling system.
- Automatic defrost.







#### **CLOSE UP IMAGES**





### TECHNICAL SPECS

#### **Dimensions**

| Length                        | 39.9  |
|-------------------------------|-------|
| Width                         | 15.5  |
| Height                        | 11.5  |
| Interior Depth                | 12.24 |
| Interior Width                | 25.59 |
| Interior Height               | 6.5   |
| Minimum Back Air Clearance In | 5 in. |
| Minimum Side Air Clearance In | 5 in. |
| Power Cord Length             | 112.2 |
| Weightlbs                     | 83.7  |

### **Capacity**

| Pan Capacity            | 3 1/3 GN Pans                 |
|-------------------------|-------------------------------|
| Adjustable Pan Dividers | Yes                           |
| Included                | 3 1/3 GN Stainless-Steel Pans |
| Maximum Depth Of Pans   | 5.9                           |

#### **Features & Materials**

| Electrical Installation Type | Plug-in             |
|------------------------------|---------------------|
| Plug Type                    | NEMA 5-15P          |
| Defrost Type                 | Automtic            |
| Refrigerant Type             | R-600a              |
| Compressor Brand             | Cubigel             |
| Compressor Location          | Right Side          |
| Cooling Unit Type            | Static              |
| Temperature Range            | 35 - 46 F           |
| Ambient Temperature Range    | 90 F                |
| Exterior Material            | Stainless-Steel 201 |
| Interior Material            | Stainless-Steel 201 |
| Color Finish                 | Stainless-Steel     |

#### **Electric & Certifications**

| Voltage              | 115                                  |
|----------------------|--------------------------------------|
| Wattage              | 110                                  |
| Amps                 | 1.6                                  |
| Hertz                | 60                                   |
| Phase                | 1                                    |
| Horsepower           | 0.1                                  |
| Certifications       | ETL Listed for Safety and Sanitation |
| Ada Compliant        | No                                   |
| Energystar Compliant | Yes                                  |

## **Plan View**









